







TEAM TRADING CO LLC.


The young and dynamic family entrepreneurs come up to form a TEAM "The One Stop Shop" for all your Electrical, Sanitary wares, Plumbing and Hardware requirements, under one roof.

With us our esteemed customers enjoy the state of the art equipment varying from the top of the line international brands to high quality local brands. With the Inventory, Marketing, Sales and Service departments being fully automated our customers enjoy the best product quality and prompt service all over the U.A.E. and other countries.



TEAM TRADING CO LLC.

<i>1</i>	<i>INSECT KILLER</i>	<i>4</i>
<i>2</i>	<i>FANS</i>	<i>12</i>
<i>3</i>	<i>SWITCHES</i>	<i>31</i>
<i>4</i>	<i>SPOTLIGHTS</i>	<i>55</i>
<i>5</i>	<i>LED LIGHTS</i>	<i>61</i>
<i>6</i>	<i>TUBE LIGHTS</i>	<i>71</i>
<i>7</i>	<i>ENERGY SAVER</i>	<i>72</i>
<i>8</i>	<i>CHANDLEARS</i>	<i>73</i>
<i>9</i>	<i>GARDEN LIGHTS</i>	<i>75</i>
<i>10</i>	<i>METAL HALIDE</i>	<i>134</i>
<i>11</i>	<i>HIGHBAY</i>	<i>135</i>
<i>12</i>	<i>DOOR BELL</i>	<i>136</i>
<i>13</i>	<i>EXTENTION CABLES</i>	<i>137</i>
<i>14</i>	<i>CABLES</i>	<i>140</i>
<i>15</i>	<i>CENSERS</i>	<i>141</i>
<i>16</i>	<i>BALLAS & TRANSFORMER</i>	<i>142</i>
<i>17</i>	<i>HEATERS</i>	<i>143</i>
<i>18</i>	<i>TRUNKINGS</i>	<i>144</i>







TEAM TRADING CO LLC.



19 CONDUIT & PIPES
20 AIR CURTAIN

149
152



TEAM TRADING CO LLC.

INSECT KILLER



300



Dimensions in mm	132x165x330
Weight:	1.1Kg
Power supply	230V ~ 50Hz
Total Consumption	11W
Linear range of action	3-5 m
Grids discharge	1500V
Master Box / Pallet	6/150
Lamp UV-A Actinic lamp	1x6W
Lamp Life	1500 h
Material	ABS
Made in	ITALY

TEAM TRADING CO LLC.

INSECT KILLER



301



Dimensions in mm	198x170x395
Weight	2 kg
Power supply	230V ~ 50Hz
Total Consumption	20 W
Linear range of action	4-6 mt
Certification	IMQ CE SASO
Insulating class	II
Master Box / Pallet	6/150
Lamp UV-A Actinic lamp	1x11 W
Lamp Life	1500 h
Made in	ITALY

TEAM TRADING CO LLC.

INSECT KILLER



307



Dimensions in mm	685x200x380
Weight	8,0 Kg
Power supply	230V ~ 50Hz
Total Consumption	65W
Cable	Rubber HO5RN-F
Linear range of action	12-15 m
IP Rate	IPX4
Insulating class	I
Master Box / Pallet q	2/30
Lamp	2x20W
Lamp Life	3000 h
Made in	ITALY

**Self cleaning grids discharge 5000V/
galvanized/steam testes
Material: Fire retardant and UV-A rated PC-**

TEAM TRADING CO LLC.

INSECT KILLER



308



Dimensions in mm	685x200x380
Weight	8,6 Kg
Power supply	230V ~ 50Hz
Cable	Rubber HO5RN-F
Linear range of action	15-18 m
IP Rate	IPX4
Insulating class	I
Master Box / Pallet q	2/30
Lamp	2x40W UV-A Actinic lamp
Lamp Life	2000 h
Made in	ITALY

**Self cleaning grids discharge 5000V/galvanized/
steam testes**

**Material: Fire retardant and UV-A rated PC-
ABS/galvanized metal parts**

TEAM TRADING CO LLC.

INSECT KILLER



309



Dimensions in mm	355X155X315
Weight	4.2Kg
Power supply	230V ~ 50Hz
Cable	Rubber HO5RN-F
Linear range of action	10-12m
IP Rate	IPX3
Insulating class	II
Master Box / Pallet q	3/75
Lamp	2x40W UV-A Actinic lamp
Lamp UV-A Actinic Lamp	2X15W
Lamp Life	1500 h
Made in	ITALY

**Self cleaning grids discharge 5000V/
galvanized/steam testes
Material: Fire retardant and UV-A rat-
ed PC-ABS/galvanized metal parts**

TEAM TRADING CO LLC.

INSECT KILLER



397




Dimensions in mm	655x390x235
Weight	8,8 Kg
Power supply	230V ~ 50Hz
Total Consumption	95W
Cable	Rubber 1,5 m
Range of action	15-18 m of linear range
IP Rate	IP65
Insulating class:	I
Master Box / Pallet q	1/21
Lamp	2x40W Actinic Shatterproof UV-A Sylvania
Lamp Life	2000 h
Material	Painted Iron
Made in	ITALY

**Coming with glue boards 370x650mm / 3
units and mounting chains**

TEAM TRADING CO LLC.

INSECT KILLER

398



Dimensions in mm	400x170x270
Weight	2.9 Kg
Power supply	220-240V ~ 50-60Hz
Total Consumption	20W Cable
Range of action	3-4 m of linear range
IP Rate	
Insulating class	I
Master Box / Pallet q	1/72
Lamp	1x20 UV-A Actinic Lamp
Lamp Life	2000 h
Glue boards	150x380 mm/4 units
Material	Inox aisi 304
Made in	ITALY

TEAM TRADING CO LLC.

INSECT KILLER



701



Dimensions in mm:	400x120x155	
Weight:	2,2 Kg	
Power supply	230V ~ 50Hz	
Total Consumption	40W	
Cable:	Rubber 1,5 m	
Range of action	12-14 m of linear range	
IP Rate	IP55	
Insulating class	I	Master Box / Pallet q.: 1/156
Lamp:	Shattershelled	
Lamp Life	2000 h	
Material:	Aluminium and PMMA	
Made in	ITALY	

**Coming with glue boards 150x380mm /
4 units and mounting chains**

TEAM TRADING CO LLC.

FANS



VORTICE EXHAUST FAN

MADE IN ITALY

SIZE : 6" & 9"

Code	12612	12452
V-50/60 Hz	220-240	220-240
W	25	26
A	0.11	0.13
Rpm	1340	790
	2040	1080
m3/h	235	480
	150	310
I/s	65.3	133
	41.7	86
Lp dB(A) 3	37.5	35.6
m		
kg	2.07	3.45
C max	50	50

TEAM TRADING CO LLC.

FANS



**KDK WINDOW EXHHAUST FAN ROUND
SIZE 6" & 8"**

Hz	220V, 50	220V, 50
	220V,60	220V, 60
Consumption	8	16
{w}	9	19
R.P.M	1463	1042
{min}	1393	1024
Air Volume	210	360
{CMH}	198	360
Air Volume	124	212
{CFM}	117	212
Noise	35	32
{dB(A)}	34	31
Weight { Kg }	0.9	1.1
Installation Size	186-188	247-250

TEAM TRADING CO LLC.

FANS**KDK EXHAUST FAN SQUARE + SHUTTER****SIZE : 6" , 8" , 10" & 12"**

Hz	50	50	50	50
	60	60	60	60
Consumption	15	26	31	33
{w}	19	26	33	37
R.P.M	1480	1220	1200	1050
{min}	1560	1400	1300	1030
Air Volume	288	516	858	1182
{CMH}	306	612	954	1164
Air Volume	170	304	505	696
{CFM}	180	360	562	685
Noise	31	38	39	39
{dB(A)}	34	41	41	39
Weight { Kg }	1.4	2.9	3.5	3.9
Installation	175x175	250X250	300X300	350X350
Size				

TEAM TRADING CO LLC.

FANS



XPELAIR EXHAUST FAN

MADE IN UK

SIZE: 6" ,9"& 12"

Reference No.	90800AW	89994AW	90012AW
Speed			
Extra Performance (FID,m3/h) high/low	266	728/618	1614/1214
Extra Performance (FID,I/S) high/low	74	202/172	448/337
Intake Performance (FID,m3/h) high/low		456/412	1002/819
Intake Performance (FID, I/S) high/low		127/114	278/228
Sound pressure level (dB(A)@3m) high/ low	37	50/48	55/50
Electric power rating (W)	30	41	85
Hole diameter (mm)	184	257	324
Hole diameter With Wall liner (mm)	203	266	330
Weight (Kg)	1.9	4	7.9
Made in	UK	UK	UK

TEAM TRADING CO LLC.

FANS



PANASONIC EXHAUST FAN ROUND

SIZE : 6" & 8"

R.P.M	1980	2100
CFM	125	237
Motor Rating	220-204v/50Hz	220-204v/50Hz
Motor (W)	17.6	34.4
Motor Type	Shade-pole	Shade-pole
Nose Level (dB)	36	43
Net Weight (Kg)	0.7	1.2

TEAM TRADING CO LLC.

FANS



**CHINA IMASU EXHAUST FAN PULL
CORD SHUTTER # HAE32-20C**

SIZE: 4", 6" & 8"

Blade Size	4/100	6/150	8/200
Volt/Hz	220V-50Hz	220V-50Hz	220V-50Hz
	230V-60Hz	230V-60Hz	230V-60Hz
Input Power	11	14	17
Speed (R.P.M)	1900	1820	1230
Air Volume M3/min	1.08	2.8	4.2
Sound Level	40	43	48

TEAM TRADING CO LLC.

FANS

**INDIA USHA H/D METAL EXH. FAN SIZE:
12,"15",18 & 24"SQ**

Fab dia (mm)	300	380	450	600
Speed (RPM)	900	900	900	700
	1400	1400	1400	900
Power	50	85	130	240
	75	150	350	500
Phase	Single	Single	Single	Single
Current	0.22	0.39	0.60	1.1
Max.Air Delivery (CMH)	1250	2300	4500	8150
	1900	4000	7000	10450
Max.Air Delivery (CFM)	735	1350	2645	4792
	1117	2350	4115	6115

TEAM TRADING CO LLC.

FANS



CATA IN LINE FAN SMT-150

SIZE : 6"

TEAM TRADING CO LLC.

FANS



BAHCIVAN IN LINE METAL DUCT FAN # BDTX160A
MADE IN TURKEY
SIZE :6"



KDK CEILING MOUNTING EXHAUST FAN
17 CUF 50CFM
SIZE: 6" & 8"



CHINA CONTROLAIR KITCHEN
HOODS WHITE
SIZE :60CM & 90CM



CHINA IMASU AIR CURTAIN
SIZE :3, 4 & 5 FEET

TEAM TRADING CO LLC.

FANS

**CHINA AICO
PEDESTAL MIST FAN
26" HW-26MC01**



**PAKISTAN GFC
PEDESTAL
MIST FAN 24"**



**CHINA AICO
WALL MIST FAN
26"**

TEAM TRADING CO LLC.

FANS



PANASONIC CELLING FAN NEW
with 5 speed regulator # F56MZ
SIZE: 48" & 56"



KDK CELLING FAN NEW MODEL
with 5 speed regulator
SIZE: 48" & 56"



PAKISTAN GFC CEILING FAN
VIP TULIP
SIZE: 48" & 56"

TEAM TRADING CO LLC.

FANS



**CHINA SUPER MAJ. CEILING
FAN 52" 5 BLADE 5 GLASS
BROWN**



**INDIA USHA CEILING FAN 56"
PULSAR
SIZE: 48" & 56"**



**CHINA SMC CEILING FAN 56" KN
SIZE: 48" & 56"**

TEAM TRADING CO LLC.

FANS

**PAKISTAN GFC
PEDESTAL FAN
SIZE :30"**



**PAKISTAN ROYAL
PEDESTAL FAN
SIZE:30"**



**CHINA KOUKYU
STAND FAN NORMAL
SIZE: 25"**

TEAM TRADING CO LLC.

FANS



**CHINA IMASU PEDESTAL FAN
SIZE :26"**



**INDIA KHAITAN PEDESTAL FAN
SIZE : 30"**

TEAM TRADING CO LLC.

FANS

**KDK STAND FAN 16
MTL GOLD**



**MALAYSIA KHIND
STAND FAN 16" GREY
SF 169-M**



**THAILAND MEERA
STAND FAN 16"
1692**

TEAM TRADING CO LLC.

FANS



**PAKISTAN GFC TABLE FAN
SIZE : 18"**



**THAILAND MEERA TABLE FAN # 167
SIZE : 16"**



**MALAYSIYA KHIND TABLE FAN # TF1610
SIZE : 16"**

TEAM TRADING CO LLC.

FANS



CHINA KOUKYU DRUM FAN #FE40D

SIZE: 12" & 16"



CHINA KOUKYU POWERFUL FAN # FE30X

SIZE : 12"

TEAM TRADING CO LLC.

FANS



**THAILAND MEERA WALL FAN
SIZE:16"**

ART NO. 1632



CHINA EVERNAL WALL FAN PVC

SIZE : 16"



PAKISTAN GFC WALL FAN

SIZE :18"

TEAM TRADING CO LLC.

FANS



KDK WALL FAN GOLD COLOUR
SIZE: 16"



MALASIYA KHIND WALL FAN PVC BLADE
SIZE :16"
ART NO 1601

TEAM TRADING CO LLC.

SWITCHES



TENBY TV SKT. SINGLE
7771RB



TENBY DIPLEX TV FM SAT OUTLETS
7754 RB



TENBY BLANKING PLATE
7300RB



TENBY TELEPHONE
SKT. MASTER
7800 RB



2-G DATA OUTLET COMM.
7860 RB



TENBY DOUBLE BLANKING
PLATE 6X3
7400RB



TEAM TRADING CO LLC.

SWITCHES



**TENBY 20A DP SWITCH
7049RB**



**TENBY 20A DP SWITCH
7049RB**



**TENBY 20A DP SWITCH
W/O/NEON
7048RB**



**TENBY 45 AMP
COOKER SWITCH
7767RB**



**TENBY 45A D.P. SWITCH
7777RB**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 13A SWITCH SKT.
7018RB**



**TENBY 13A DOUBLE SWITCH SOCKET.
7029RB**



**TENBY 15A SWITCH SKT.
7055RB**



**TENBY 16 A SINGLE S/SOCKET. 2 PIN
7012 RB**



TEAM TRADING CO LLC.

SWITCHES

**TENBY 1 G 2 WAY SWITCH
7712RB**



**TENBY 2 G 2 WAY SWITCH
7722RB**



**TENBY 6G 2W SWITCH
7762RB**



**TENBY BELL PUSH
7714RB**



**TENBY LV DIMMER
250W 1G 2WAY
7003 RB**



**TENBY LV DIMMER
250W 2G 2WAY
7004 RB**



TEAM TRADING CO LLC.

SWITCHES



**TENBY TV SKT. DOUBLE
7772BSB**



**TENBY DIPLEX TV FM SAT
OUTLETS 7754BSB**



**TENBY TELEPHONE
SKT. BT MASTER 7800BSB**



**TENBY 2-G DATA OUTLET
COMM. 7860 SB**



**TENBY 1G BLANKING
PLATE 7300BSB**



**TENBY DOUBLE BLANKING
PLATE 7400SB 6X3**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 20A FLEX OUTLET
7330SB**



**TENBY 20A DP SWITCH
WITH NEON 7049SB**



**TENBY 45A COOKER
SWITCH 7767SB**



**TENBY 45A DP SWITCH 6X3
7777 SB**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 15A S/SOCKET
7055 SB**



**TENBY 13A SINGLE S/
SOCKET 7018SB NEW**



**TENBY 16 A SINGLE S/
SOCKET. 2 PIN 7012SB**



**TENBY 13A DOUBLE S/
SOCKET 7028SB NEW**



TEAM TRADING CO LLC.

SWITCHES

**TENBY 1G SWITCH BELL
PUSH 7714SB NEW**



**TENBY 1G 2WAY SWITCH
7712SB NEW**



**TENBY 6G 2W SWITCH
7762 SB NEW**



**TENBY 2G 2WAY SWITCH
7722SB NEW**



**TENBY LV DIMMER 250W
1G 2WAY 7003SB**



**TENBY LV DIMMER 250W
2G 2WAY 7004SB**



TEAM TRADING CO LLC.

SWITCHES



TENBY DATA OUTLE SINGLE 7850 SS (738495)



TENBY 2-G DATA OUTLET COMM 7860 SS (738496)



TENBY DIPLEX TV FM OUT-LETS 7754 SS (738473)



TENBY T.V. SOCKET SINGLE 7771 SS (738471)



TENBY TV SKT. DOUBLE 7772SS



TEAM TRADING CO LLC.

SWITCHES



**TENBY 20A DP SWITCH
WITH NEON 7049 SS
(738444)**



**TENBY 20A DP SWITCH
WITH NEON 7049 SS
(738444)**



**TENBY 20A DP SWITCH
WITH NEON 7049 SS
(738444)**



**TENBY 45A COOKER SWITCH
7767 SS (738467)**



**TENBY 45A DP SWITCH
6X3 7777 SS (738477)**



TEAM TRADING CO LLC.

SWITCHES




**TENBY 15A S/SOCKET
7055 SS (738455)**



**TENBY 13A DOUBLE S/SOCKET 7028
SS (738482)**



**TENBY 13A SINGLE S/SOCKET 7018 SS
(738481)**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 1G SWITCH BELL
PUSH 7714 SS (738410)**



**TENBY 1G 2WAY SWITCH
7712 SS (738411)**



**TENBY 4G 2W SWITCH
7742 SS (738442)**



**TENBY 2G 2WAY SWITCH
7722 SS (738422)**



**TENBY LV DIMMER 250W
1G 2WAY 7003 SS
(738403)**



**TENBY LV DIMMER 250W
2G 2WAY 7004 SS
(738404)**



TEAM TRADING CO LLC.

SWITCHES



**TENBY DATA OUTLE
SINGLE 7850 SS (738495)**



**TENBY T.V. SOCKET
SINGLE 7771 SS (738471)**



**TENBY 1G BLANK PLATE
7300 SS (738407)**



**TENBY 2-G DATA OUTLET
COMM 7860 SS (738496)**



**TENBY TV SKT. DOUBLE
7772SS**



**TENBY DIPLEX TV FM
OUTLETS 7754 SS
(738473)**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 20A FLEX OUTLET
7330 SS (738430)**



**TENBY 20A DP SWITCH
WITH NEON 7049 SS
(738444)**



**TENBY 20A DP SWITCH
WITH NEON 7049 SS
(738444)**



**TENBY 1G 2WAY SWITCH
7712 SS (738411)**



**TENBY 45A COOKER
SWITCH 7767 SS (738467)**



**TENBY COOKER 45A DP
SWT.13A S/SOCKET NEON
7775 SS (738475)**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 16 A SINGLE S/
SOCKET. 2 PIN 7012 SS
(738463)**



**TENBY 13A SINGLE S/
SOCKET 7018 SS (738481)**



**TENBY 13A DOUBLE S/SOCKET
7028 SS (738482)**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 1G SWITCH BELL
PUSH 7714 SS (738410)**



**TENBY 1G 2WAY
SWITCH 7712 SS
(738411)**



**TENBY 6G 2W SWITCH 7742 SS
(738442)**





**TENBY LV DIMMER 250W
1G 2WAY 7003 SS
(738403)**



**TENBY 3G 2WAY SWITCH
7732 SS (738432)**



**TENBY LV DIMMER 250W
2G 2WAY 7004 SS
(738404)**



TEAM TRADING CO LLC.

SWITCHES



**TENBY TV SOCKET SINGLE
7771 WHITE (737071)**



**TENBY TELE. SKT. SEC-
ONDARY 7801 WHITE
(738001)**



**TENBY 2-G DATA OUTLET
COMM. 7860 (737096)**



TEAM TRADING CO LLC.


VALVES




**TENBY 20A DP SWITCH
7049 WHITE (738049)**



**TENBY BLANKING PLATE
3 X 3 WHITE 7300
(738007)**



**TENBY 45A COOKER SWITCH +13A
SOCKET 7775 WHITE (738075)**



**TENBY 45A DP SWITCH 6X3
7777 WHITE (738077)**



TEAM TRADING CO LLC.


SWITCHES



TENBY 13A S/ SOCKET SINGLE 7018 WHITE (738018)



UK TENBY 2 AMP SKT.



TENBY 13A S/ SOCKET DOUBLE 7028 WHITE (738028)



UK TENBY 20VA SHAVER SOCKET 7441 (738041)




TEAM TRADING CO LLC.

SWITCHES

**TENBY BELL PUSH 7714
WHITE (738014)**



**TENBY 1G 1W SWITCH
7711 WHITE (738011)**




**TENBY 3G 1W SWITCH
7731 WHITE (738031)**



**TENBY 1G DIMMER
SWITCH 1000W 7214
(738006)**



**TENBY 6G 2W SWITCH 7762
WHITE (738062)**



TEAM TRADING CO LLC.

SWITCHES

**TENBY 1G 2WAY SWITCH
7712AG**



**TENBY 2G 2WAY SWITCH
7722AG**



**TENBY 3G 2WAY SWITCH
7732AG**



**TENBY 15A S/SOCKET
7055AG**



**TENBY 13A S/SOCKET SIN-
GLE 7018AG**



**TENBY 20A DP SWITCH WITH
NEON 7049AG**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 20A FLEX OUTLET
7330AG**



**TENBY DIPLEX TV FM
OUTLETS 7754AG**



**TENBY 1G SWITCH BELL
PUSH 7714AG**



**TENBY DATA OUTLET SIN-
GLE RJ45 7850AG**



**TENBY TV SOCKET SINGLE
7771AG**



**TENBY 1G BLANK PLATE
7300AG**



TEAM TRADING CO LLC.

SWITCHES

**TENBY LV DIMMER 1G
2WAY 250W 7003AG**



**TENBY LV DIMMER 2G
2WAY 250W 7004AG**



**TENBY 1 GANG DIMMER
1000W 7214AG**



**TENBY 20A DP SWITCH
WITH NEON 7049AG**



**TENBY 16 A SINGLE S/
SOCKET. 2 PIN 7012 AG**



**TENBY TV SOCKET SINGLE
7771AG**



TEAM TRADING CO LLC.

SWITCHES



**TENBY 13A S/SOCKET DOUBLE
7028AG**





**UK TENBY DOUBLE BLANKING PLATE
7400AG 6X3**



**TENBY 45A COOKER
SWITCH 7767AG**



**TENBY 20VA SHAVER SOCKET
7441AG**



TEAM TRADING CO LLC.

SPOTLIGHTS



**SPAIN ZAMAK DICH.. FITTING
R-149 GOLD**



**SPAIN ZAMAK DICH.. FITTING R-149
MATE GOLD**



**SPAIN ZAMAK DICH.
FITTING R-102 GOLD**



**SPAIN ZAMAK DICH
FITTING R-102 CURO**



**SPAIN ZAMAK DICH.
FITTING R-146 GOLD**

TEAM TRADING CO LLC.

SPOTLIGHTS



**SPAIN ZAMAK DICH.. FITTING
R-115 GOLD**



**SPAIN ZAMAK WOOD ONLY
R177 COABA**



**SPAIN ZAMAK DICH..
FITTING R-146 WHITE**



**SPAIN ZAMAK DICH.. FITTING
R-187 CUERO**



**SPAIN ZAMAK DICH.. FITTING
R-187 GOLD**

LED LAMPS



TEAM TRADING CO LLC.


SPOTLIGHTS



**SPAIN ZAMAK DICH.. FITTING
R-170 GOLD**



**SPAIN ZAMAK DICH.. FITTING
R-170 CUERO**



**SPAIN ZAMAK DICH.. FITTING
R-165 CUERO**



**SPAIN ZAMAK DICH.. FITTING
R-165 GOLD**



**SPAIN ZAMAK DICH.. FITTING
R-219 GOLD**




TEAM TRADING CO LLC.


SPOTLIGHTS



**SPAIN ZAMAK DICH.. FITTING
R-149 WHITE**



**SPAIN DIE-CAST ALUM DICH FITTING
IP65, R166 MATT WHITE**



**SPAIN ZAMAK DICH.. FITTING
R-209 CHROME**



**SPAIN ZAMAK DICH.. FITTING
R-191 GOLD**



**SPAIN ZAMAK DICH.. FITTING R-
190 WHITE**

LED LAMP



TEAM TRADING CO LLC.

SPOTLIGHTS



**SPAIN ZAMAK DICH.. FITTING
R-202 CHROME**



**SPAIN ZAMAK DICH.. FITTING
R-202 GOLD**



**SPAIN ZAMAK DICH.. FITTING
R-204 CHROME**



**SPAIN ZAMAK DICH..FITTING
R-209 SATIN GOLD**

TEAM TRADING CO LLC.

SPOTLIGHTS

**SPAIN ZAMAK DICH.. FITTING
R-149 SATIN NICHAL**



**SPAIN ZAMAK DICH.. FITTING
R-192 GOLD**



**SPAIN ZAMAK DICH.. FITTING
R-192 CHROME**



**SPAIN ZAMAK DICH.. FITTING
R-193 GOLD**

TEAM TRADING CO LLC.

LED LIGHTS



CHINA RAFEED LED SPOT DIRECT LAMP

RF-0082	1W	W	110-220V	30x19mm
RF-0083	1W	WW	110-220V	30x19mm



CHINA RAFEED LED SPOT DIRECT LAMP

RF-00144	1W	W	110-220V	30x19mm
RF-00145	1W	WW	110-220V	30x19mm



**CHINA RAFEED LED SPOT FTG
RND.MOVEBLE**

RF-0023	1W	W	110-220V	52x19mm
RF-0024	1W	WW	110-220V	52x19mm

TEAM TRADING CO LLC.

LED LIGHTS**CHINA RAFEED LED SPOT DIRECT LAMP**

RF-0140

2W

W

110-220V

RF-0141

2W

WW

110-220V

CHINA RAFEED LED SPOT DIRECT LAMP

RF-0084

3W

W

110-220V

RF-0085

3W

WW

110-220V

CHINA RAFEED LED SPOT DIRECT LAMP

RF-0153

5W

W

110-220V

RF-0153

5W

WW

110-220V

TEAM TRADING CO LLC.

LED LIGHTS



CHINA RAFEED LED CANDLE LAMP

4 W , E14 # RF-155 & 156



RF-0155

4W

W

110-220V

RF-0156

4W

WW

110-220V

**CHINA RAFEED LED CANDLE LAMP 4 W
E14 # RF-157, 158**



RF-0157

4W

W

110-220V

RF-0158

4

WW

110-220V

**CHINA RAFEED LED LAMP ROUND
3W #RF-0159,160**



RF-0459

3W

W

110=220V

RF-160

3W

WW

110-220V

TEAM TRADING CO LLC.

LED LIGHTS



**CHINA RAFEED LED ROUND LAMP
9W E27 # RF0163,164**

RF-0163

9W

W

110-220V

RF-0164

9W

WW

110-220V



**CHINA RAFEED LED ROUND LAMP
18W E27 # RF 169,170**

RF-0169

18W

W

110-220V

RF-0170

18W

WW

110-220V

TEAM TRADING CO LLC.

LED LIGHTS



**CHINA RAFEED LED DOWNLIGHT
5W # RF-87 & 86**

RF-0087	5W	W	110-220V	110x70mm
RF-0086	5W	WW	110-220V	110x70mm



**CHINA RAFEED LED DOWNLIGHT
9W # RF-89 & 88**

RF-0089	9W	W	110-220V	135x80mm
RF-0088	9W	WW	110-220V	135x80mm

TEAM TRADING CO LLC.

LED LIGHTS



**CHINA RAPEED LED DOWNLIGHT
35-20W COB**

RF-0094	35W	WW	110 – 220V	232x105mm
RF-0095	35W	W	110 – 220V	232x105mm
RF0100	20W	WW	110 – 220V	232x105mm
RF0101	20W	W	110 – 220V	232x105mm



**CHINA RAPEED LED DOWNLIGHT
25-10W COB**

RF-0096	25W	WW	110-220V	163x80mm
RF-0097	25W	W	110-220V	163x80mm
RF-0098	10W	WW	110-220V	163x80mm
RF-0099	10W	W	110-220V	163x80mm


TEAM TRADING CO LLC.

LED LIGHTS



**CHINA RAPEED LED DOWN LIGHT
25W-15W**

RF-0102	15W	WW	110-220V	220x200x70mm
RF-0103	15W	W	110-220V	220x200x70mm
RF-0104	25W	WW	110-220V	220x200x70mm
RF-0105	25W	W	110-220V	220x200x70mm



**CHINA RAPEED LED DOWN LIGHT 35W
WARM WHITE # RF-0094**

RF-0183	12w	w	110-220V	184X68mm
RF-0184	12w	ww	110-220v	181x68mm
RF-0185	20w	w	110-220w	198x68mm
RF-0186	20w	Ww	110-220v	198x68mm
RF-0187	30w	W	110-220v	232x68mm
Rf-0189	30w	Ww	110-220v	232x68mm

TEAM TRADING CO LLC.

LED LIGHTS



CHINA RAFEED LED PROJECTOR FITTING

RF-0133	10W	WW		110-220V	115X85mm
RF-0134	10W	W		110-220V	115X85mm
RF-0135	10W	G		110-220V	115X85mm
RF-0136	10W	Y		110-220V	115X85mm
RF-0137	10W	P		110-220V	115X85mm
RF-0001	30W	WW		110-220V	232X284X144mm
RF-0002	30W	W		110-220V	232x284x144mm
RF-0003	50W	WW		110-220V	265X233X108mm
RF-0004	50W	W		110-220v	265x233x108mm

TEAM TRADING CO LLC.

LED LIGHTS



CHINA RAFEED LED PROJECTOR FITTING

RF-0005	80W	WW	110-220V	285x235x110mm
RF-0006	80W	W	110-220V	285x235x110mm



CHINA RAFEED LED PROJECTOR FITTING

RF-0215	100W	WW	112-220V	285X235X110mm
Rf-0216	100w	W	110-220V	285x235x110mm

TEAM TRADING CO LLC.


LED LIGHTS



RAFEED LED STRIPS LIGHT 60 PIECES/m

- 1- water proof**
- 2- Full water proof**
- 3- Non water proof**

White	12V
Worm white	12V
Blue	12V
Red	12V
Green	12V
Yellow	12V
Purple	12V



TEAM TRADING CO LLC.

TUBE LIGHTS



TEBE LIGHTS & BATTEN FITTINGS



TEAM TRADING CO LLC.

ENERGY SAVER



ENERGY SAVER & PL LAMPS



TEAM TRADING CO LLC.

CHANDLEAR



11004-D5



11098-D5



11004-D5



11116



11037-C5+1



11054-5+1

TEAM TRADING CO LLC.

CHANDLEAR**11074-DS****11081-D+1****11096-C5****11093-C5****11091-C5****11091-C5****11112-C3**

TEAM TRADING CO LLC.

GARDEN LIGHTS **TT**



K22.120



K22.110



K22.131



K22.156.S30









K22.151



K22.156.520

SABA

TEAM TRADING CO LLC.

GARDEN LIGHTS **K22.120****K22.151****K22.156.530****K22.156.520****K22.131****K22.110****SABA**

TEAM TRADING CO LLC.

GARDEN LIGHTS



E22.131



E22.131



E22.156.S20



E22.120



E22.151







E22.156.S30



E22.110

ANNA

TEAM TRADING CO LLC.

GARDEN LIGHTS**E22.131****E22.120****E22.110****E22.151****E22.156.S20****E22.156.S30****ANNA**

TEAM TRADING CO LLC.

GARDEN LIGHTS **TT**



K26.111



K26.31



K26.111



K26.151








K26.162



K26.520

TEAM TRADING CO LLC.

GARDEN LIGHTS

**K26.111****K26.131****K26.111****K26.151****K26.162****K26.520****SALEM**

TEAM TRADING CO LLC.

GARDEN LIGHTS 



E26.131



E26.120



E26.111



E26.157.530







E26.151



E26.157.S21

RUT

TEAM TRADING CO LLC.

GARDEN LIGHTS**E26.131****E26.120****E26.111****E26.151****E26.157.S30****RUT**

TEAM TRADING CO LLC.

GARDEN LIGHTS **TT**



Q23.131



Q23.157.S30



Q23.156.S20



Q23.120








Q23.151



Q23.111

GOLIA

TEAM TRADING CO LLC.

GARDEN LIGHTS**Q23.131****Q23.157.S30****Q23.120****Q23.151****Q23.111****Q23.156.S20****GOLIA**

TEAM TRADING CO LLC.

GARDEN LIGHTS **TT**



G25.131



G25.158.S20



G25.156



G25.110









G25.162



G25.141

GLOBE 250 CLASSIC

TEAM TRADING CO LLC.


GARDEN LIGHTS**G25.131****G25.110****G25.141****G25.158.S20****G25.162****G25.156****GLOBE 250 CLASSIC**

TEAM TRADING CO LLC.

GARDEN LIGHTS *TT*



G30.142



G30.157.R.20



G30.120



G30.132








G30.111

GLOBE 300 CLASSIC

TEAM TRADING CO LLC.





GARDEN LIGHTS

**G30.142****G30.132****G30.111****G30.157.R.20****G30.120****GLOBE 300 CLASSIC**

TEAM TRADING CO LLC.

GARDEN LIGHTS **TT****K35.121****K35.113****K35.162****K35.157****SILOE**

TEAM TRADING CO LLC.

GARDEN LIGHTS**K35.121****K35.113****K35.162****K35.157****SILOE**

TEAM TRADING CO LLC.


GARDEN LIGHTS **TT**



K35.132



K35.201.R20




K35.201


NEBO/SILOE

TEAM TRADING CO LLC.

GARDEN LIGHTS



K35.201.R20



K35.201


NEBO/SILOE

TEAM TRADING CO LLC.

GARDEN LIGHTS **TT**



K35.204.R20



K35.204.R30




K35.204


TABOR /SILOE

TEAM TRADING CO LLC.


GARDEN LIGHTS



K35.204.R20



K35.204.R30



K35.204




TABOR/SILOE

TEAM TRADING CO LLC.

GARDEN LIGHTS **TT****E35.113****E35.132****E35.121****E35.132****E35.162****E35.157****NOEMI**

TEAM TRADING CO LLC.

GARDEN LIGHTS

**E35.132****E35.157****E35.121****E35.162****NOEMI**

TEAM TRADING CO LLC.

GARDEN LIGHTS **TT**



G30.201.R30




G30.201.R20




G30.201


TEAM TRADING CO LLC.

GARDEN LIGHTS 

G30.201.R30



G30.201.R20



G30.201

TEAM TRADING CO LLC.

GARDEN LIGHTS 



TEAM TRADING CO LLC.

BULKHEAD**E27 1R3.613.010.E27****LED 1R3.613.010.L11**

Pcs 1
Kg 4
mc 0,097



— 240 —



1000

Ø 240

E27 2R3.613.010.E27**LED 2R3.613.010.L11**

Pcs 1
Kg 4
mc 0,097



— 240 —



1000

Ø 240

E27 3R3.613.010.E27**LED 3R3.613.010.L11**

Pcs 1
Kg 4
mc 0,097



— 240 —



1000

Ø 240

TEAM TRADING CO LLC.

BULKHEAD**E27 1V3.613.010.E2****LED 1V3.613.010.L11**

Pcs 1
Kg 4
mc 0,097



— 240 —



Ø 240

E27 2V3.613.010.E2**LED 2V3.613.010.L11**

Pcs 1
Kg 4
mc 0,097



— 240 —



Ø 240

E27 3V3.613.X10.E27**LED 3V3.613.X10.L11**

Pcs 1
Kg 4,5
mc 0,097



— 325 —



Ø 240

TEAM TRADING CO LLC.

BULKHEAD

TEAM TRADING CO LLC.

BULKHEAD

SAURO E27 - COMPONENTS

IP55

COVER locked to the diffuser, made in shockproof resin material. To be removed for relamping by the supplied hexagonal key for locking screws.

DIFFUSER of UV stabilized polymethylmethacrylate (PMMA) available in clear or opal colour.

BREAKLIGHT (optional) with a laminar symmetrical optic system, to direct the lighting output and to get a lower dazzle. Available in white resin material or in chrome aluminium. Recommended use with clear diffuser bollard.

CONNECTION RING provided with E27 lampholder seat in its upper side and equipped with metal plate suitable for ballast fixation on its lower side for SON, HQI or MRF lamps.

AVAILABLE LAMPS

		Power	Lampholder	Ref. Code
	GIS	100W	E27	.E27
	SL	25W	E27	.E27
	CTL	23W	E27	.E27
	MRF	50W	E27	.M50
		80W	E27	.M80
	SON	50W	E27	.S50
		70W	E27	.S70
	HQI	70W	E27	.H70

AVAILABLE BREAKLIGHT REFLECTOR

	CLOSED BREAKLIGHT (upward) WHITE RESIN (H.FRA.D15)	CLOSED BREAKLIGHT (upward) ALUMINIUM CHROME (H.FCT)

SAURO LED - COMPONENTS

IP55

COVER made in shockproof resin material, locked to the diffuser and equipped with GX53 lampholder. To be removed for relamping by the supplied hexagonal key for locking screws.

Long-life, powerful and efficient TUV approved **GX53 LED module** available in three different wattage versions, for a total luminous flux of 300 lm, 700 lm or 1.000 lm.

Reflective **DISK** made in UV rays stabilized PMMA to spread the light and to get a lower dazzle.

DIFFUSER of UV stabilized polymethylmethacrylate (PMMA) available in clear or opal colour.

CONE reflector to direct downwards the lighting output. Available in white resin (standard version) or brushed aluminium (optional).

CONNECTION RING made in shockproof resin material, UV rays stabilized, rust and corrosion-free.

LED VERSIONS

	Power	Luminous Flux	Lampholder	Ref. Code
	3W	300 lm	GX53	.G11
	7W	700 lm	GX53	.C11
	10W	1000 lm	GX53	.D11

Production monitored - Safety tested

3W - GX53 lamp Code: H1ED G53 7W - GX53 lamp Code: H2 LED G53 10W - GX53 lamp Code: H3 LED G53

GX53 LED LAMPS

	Power	Luminous Flux	Colour Temperature	Life Time	Voltage Range	SAVE	Energetic Class
	3W	300	4.000	20.000	110/240V 50/60 Hz	40W INCANDESCENT -93%	A
	7W	700	4.000	20.000	110/240V 50/60 Hz	75W INCANDESCENT -90%	A
	10W	1.000	4.000	20.000	110/240V 50/60 Hz	100W INCANDESCENT -90%	A

TEAM TRADING CO LLC.

BULKHEAD

D15.555.CRB




D15.554.CRB




D15.553.CRB




3W D15.555.G1L
7W D15.555.C1L
10W D15.555.D1L





3W D15.554.G1L
7W D15.554.C1L
10W D15.554.D1L



3W D15.553.G1L
7W D15.553.C1L
10W D15.553.D1L



3W D15.505.G1L
7W D15.505.C1L
10W D15.505.D1L



TEAM TRADING CO LLC.

BULKHEAD

D15.555.E27






D15.554.E27






D15.553.FRA






D15.505.E27





Pcs 1
Kg 2,7
mc 0,032




TEAM TRADING CO LLC.

FLOODLIGHT

TEAM TRADING CO LLC.

FLOODLIGHT

TEAM TRADING CO LLC.

IN- GROUND

TEAM TRADING CO LLC.

IN-GROUND



CECI 90 - COMPONENTS

IP67

 DRIVE-4 VOLT
 5000 KEG

COVER made in shockproof resin material, UV rays stabilized, rust and corrosion free.

DIFFUSER made in high impact and high pressure load resistant resin material, available in clear, opal or coloured versions (blue, green, orange).

High quality silicone rubber **GASKET** to ensure high protection against external agents.

Supplied as standard with TUV approved **GU10 LED module** 4W/300 lm included. Quick and easy lamp replacement for a very simple maintenance after installation.

HOUSING made in shockproof resin material, provided with double holes and watertight cable glands for safe connecting cable.

INSTALLATION HOUSING made in resin material UV rays stabilized, rust and corrosion-free to be fixed into the ground before installing the luminaries.

CECI 90 - LED VERSION

	Power	Luminaire	Ref. Code
	4W 300 lm	GU10	.UTL

Production monitored - Safety tested

4W - GU10 Lamp
Code: H.LSD.GU10

CECI 120 - COMPONENTS

IP67

 DRIVE-4 VOLT
 5000 KEG

COVER made in shockproof resin material, UV rays stabilized, rust and corrosion free. Unshielded, 2openings or 3openings versions available for a diffuse or directed light emission.

DIFFUSER made in high impact and high pressure load resistant resin material, available in clear, opal or coloured versions (blue, green, orange).

High quality silicone rubber **GASKET** to ensure high protection against external agents.

Supplied as standard with TUV approved **GX53 LED module** 3W/300 lm included. Quick and easy lamp replacement for a very simple maintenance after installation.

HOUSING made in shockproof resin material, provided with double holes and watertight cable glands for safe connecting cable.

INSTALLATION HOUSING made in resin material UV rays stabilized, rust and corrosion-free to be fixed into the ground before installing the luminaries.

CECI 120 - LED VERSION

	Power	Luminaire	Ref. Code
	3W 300 lm	GX53	.GTL

Production monitored - Safety tested

3W - GX53 Lamp
Code: H.LSD.GX53

CECI 160 - COMPONENTS

IP67

 DRIVE-4 VOLT
 5000 KEG

COVER made in shockproof resin material, UV rays stabilized, rust and corrosion free. Unshielded, 2openings or 3openings versions available for a diffuse or directed light emission.

DIFFUSER made in high impact and high pressure load resistant resin material, available in clear, opal or coloured versions (blue, green, orange).

High quality silicone rubber **GASKET** to ensure high protection against external agents.

Equipped with long-life, powerful and efficient TUV approved **GX53 LED modules** available in 2 different versions (7W/700 lm or 10W/1.000 lm). Quick and easy lamp replacement for a very simple maintenance after installation.

HOUSING made in shockproof resin material, provided with double holes and watertight cable glands for safe connecting cable.

INSTALLATION HOUSING made in resin material UV rays stabilized, rust and corrosion-free to be fixed into the ground before installing the luminaries.

CECI 160 - LED VERSIONS

	Power	Luminaire	Ref. Code
	7W 700 lm	GX53	.CTL
	10W 1000 lm	GX53	.DTL

Production monitored - Safety tested





7W - GX53 Lamp
Code: H2.LSD.GX53

10W - GX53 Lamp
Code: H2.LSD.GX53




GU10 - GX53 LED LAMPS

	Power	Luminous Flux	Colour Temperature	Life Time	Voltage Range	SAVE	Energy Class
	4W	300	4.000	20.000	110/240V 50/60 Hz	40W INCANDESCENT -93%	A
	3W	300	4.000	20.000	110/240V 50/60 Hz	40W INCANDESCENT -93%	A
	7W	700	4.000	20.000	110/240V 50/60 Hz	75W INCANDESCENT -90%	B
	10W	1.000	4.000	20.000	110/240V 50/60 Hz	100W INCANDESCENT -90%	B

TEAM TRADING CO LLC.

IN- GROUND**1F1.000.U1L****2F1.000.G1L****2F2.000.G1L****2F3.000.G1L**

TEAM TRADING CO LLC.

IN- GROUND**3F1.000****3F2.0000****3F3.000**

TEAM TRADING CO LLC.

RECESSED

TEAM TRADING CO LLC.

RECESSED

LETI 100 ROUND & SQUARE - COMPONENTS

IP66

- COVER** made in shockproof resin material, UV rays stabilized, rust and corrosion free. Available in four different shapes to allow a diffuse or a downwards light emission.
- Opal DIFFUSER** with flat shape made in polymethylmethacrylate (PMMA).
- High quality silicone rubber **GASKET** to ensure high protection against external agents.
- Supplied as standard with TUV approved **GX53 LED module** 3W/300 lm included.
- HOUSING** made in shockproof resin material, UV rays stabilized, rust and corrosion free, provided complete with GX53 lampholder and with double cable entry with silicone cable gland.
- INSTALLATION HOUSING** made in resin material to be cemented into the wall before installing the luminaires.

LETI 100 - LED VERSION

	Power	Lumens	Lampholder	Ref. Code
	3W	300 lm	GX53	.G7L

Production monitored - Safety tested

3W - GX53 lamp
Code: HLED.G53

LETI 200 - COMPONENTS

IP66

- COVER** made in shockproof resin material, UV rays stabilized, rust and corrosion free. Available in five different shapes to allow a diffuse or a downwards light emission.
- Opal DIFFUSER** with flat shape made in polymethylmethacrylate (PMMA).
- High quality silicone rubber **GASKET** to ensure high protection against external agents.
- Supplied as standard with TUV approved **GX53 LED module** 3W/300 lm included.
- HOUSING** made in shockproof resin material, UV rays stabilized, rust and corrosion free, provided as standard with GX53 lampholder and with double cable entry with silicone cable gland.
- INSTALLATION HOUSING** made in resin material to be cemented into the wall before installing the luminaires.

LETI 200 - AVAILABLE LAMPS

	Power	Lumens	Lampholder	Ref. Code
	3W	300 lm	GX53	.G7L
	9W		E14	.E74

Production monitored - Safety tested

3W - GX53 lamp
Code: HLED.G53

LETI 300 - COMPONENTS

IP66

- COVER** made in shockproof resin material, UV rays stabilized, rust and corrosion free. Available in five different shapes to allow a diffuse or a downwards light emission.
- Opal DIFFUSER** with flat shape made in polymethylmethacrylate (PMMA).
- High quality silicone rubber **GASKET** to ensure high protection against external agents.
- Supplied as standard with 2 x TUV approved **GX53 LED modules** 2 x 3W/600 lm included.
- HOUSING** made in shockproof resin material, UV rays stabilized, rust and corrosion free, provided as standard with 2 x GX53 lampholder and with double cable entry with silicone cable gland.
- INSTALLATION HOUSING** made in resin material to be cemented into the wall before installing the luminaires.





LETI 300 - AVAILABLE LAMPS

	Power	Lumens	Lampholder	Ref. Code
	2 x 3W	600 lm	GX53	.G2L
	23W		E27	.E27
	7W 9W		G23 G23	.01G
	2 x 5W 2 x 7W 2 x 9W		G23 G23 G23	.02G
	26W		G24+3	.03G





GX53 LED LAMPS

	Power	Lumens Flux	Color Temperature	Life Time	Voltage Range	SAVE	Energy Class
	3	300	4,000	20,000	110/240V 50/60 Hz	= 40W -93%	Energy
	2 x 3W	600	4,000	20,000	110/240V 50/60 Hz	= 75W -92%	Energy







TEAM TRADING CO LLC.

RECESSED








TEAM TRADING CO LLC.

RECESSED



TEAM TRADING CO LLC.

RECESSED

TEAM TRADING CO LLC.


RECESSED

TEAM TRADING CO LLC.

SURFACE

TEAM TRADING CO LLC.

SURFACE




EXTRALETI 100 - LED VERSION

	Power	Lumen	Temperature	Ref Code
	3W	200 lm	GX53	.G71

Production monitored - Safety tested

3W - GX53 lamp
Code: H485-G53



EXTRALETI 200 - LED VERSION

	Power	Lumen	Temperature	Ref Code
	3W	200 lm	GX53	.G71

Production monitored - Safety tested

3W - GX53 lamp
Code: H485-G53







EXTRALETI 300 - AVAILABLE LAMPS

	Power	Lumen	Temperature	Ref Code
	2 x 3W	600 lm	GX53	.G21
	23W	E27		.E27
	7W	G23		.G23
	9W	G23		.G23
	2 x 5W	G23		.G23
	2 x 7W	G23		.G23
	2 x 9W	G23		.G23
	26W	G24d-3		.G24d-3





GX53 LED LAMPS

	Power	Lumen	Color Temp	Life Time	Voltage Range	SAVE	Energy Class
	3	300	4,000	20,000	110/240V 50/60 Hz	40W -93%	A
	6	600	4,000	20,000	110/240V 50/60 Hz	75W -92%	A






TEAM TRADING CO LLC.

SURFACE







TEAM TRADING CO LLC.

SURFACE

TEAM TRADING CO LLC.

SURFACE

TEAM TRADING CO LLC.

BULKHEAD

TEAM TRADING CO LLC.

BULKHEAD

TEAM TRADING CO LLC.

BULKHEAD

E27 VERSION - COMPONENTS

IP66

COVER made in shockproof resin material, UV rays stabilized, rust and corrosion free. Available in 4 different shapes (round, oval, square and rectangular) with several design versions for each shape.

Opal DIFFUSER of UV stabilized polymethylmethacrylate (PMMA), provided with high quality silicone rubber GASKET to ensure high protection against external agents.

Highly heat resistant REFLECTIVE PLATE made by shockproof resin material, UV rays stabilized.

Round or oval BASE made in shockproof resin material, UV rays stabilized, suitable for the electrical devices fixation. Provided with E27 lampholder.

IP66

AVAILABLE LAMPS			
		Lampholder	Ref. Code
	23W	E27	.E27
	7W 9W	G23 G23	.01G
	2 x 5W 2 x 7W 2 x 9W	G23 G23 G23	.02G
	26W	G24d-3	.03G
	16W	GR8	.04G

LED VERSION - COMPONENTS

IP66

PRINTED CIRCUIT BOARD provided with 150 LED x 6 lm each to allow a uniform light distribution. Total luminous flux of 900 lm.

Round or oval BASE made in shockproof resin material, UV rays stabilized, provided with 150mA constant current driver. Input: 100-240V, 50-60Hz.

IP66

LED	POWER 9W	LIGHT SOURCE 150 LED 6 lm	P.C.B. LUMEN/LED 900 lm	COLOR TEMP. (K) 4000K	VOLTAGE RANGE 110/240V 50/60 Hz	LFPM 50,000 hours	VIEW ANGLE 120°	LED OPERATING TEMPERATURE +85°C -40°C
------------	--------------------	--	-----------------------------------	---------------------------------	--	-----------------------------	---------------------------	--

LED VERSION			
		Lampholder	Ref. Code
	9W	LED	.L71

DAYLIGHT AND MOTION SENSOR VERSION - COMPONENTS

IP66

PRINTED CIRCUIT BOARD provided with 150 LED x 6 lm each to allow a uniform light distribution. Total luminous flux 900lm.





Daylight and motion MICROWAVE SENSOR. Field of detection 1-5mt radial adjustable. Detection angle 30°-150°.
Sensor operating voltage: 220-240V (120V available on demand).

IP66






LED	POWER 9W	LIGHT SOURCE 150 LED 6 lm	P.C.B. LUMEN/LED 900 lm	COLOR TEMP. (K) 4000K	LFPM 50,000 hours	VIEW ANGLE 120°	LED OPERATING TEMPERATURE +60°C -10°C
------------	--------------------	--	-----------------------------------	---------------------------------	-----------------------------	---------------------------	--

LED VERSION WITH SENSOR			
		Lampholder	Ref. Code
	9W	LED	.L57

TEAM TRADING CO LLC.

BULKHEAD

TEAM TRADING CO LLC.


BULKHEAD

TEAM TRADING CO LLC.

BULKHEAD


E27 1U3.000.E27/
LED 1U3.000.L11

Pcs 1
 Kg 1
 mc 0,012




E27 1H3.000.E27
LED 1H3.000.L11

Pcs 1
 Kg 1
 mc 0,012






E27 1T3.000.E27
LED 1T3.000.L11



Pcs 1
 Kg 1
 mc 0,014








TEAM TRADING CO LLC.

BULKHEAD**E27** 1R3.000.E27**LED** 1R3.000.L11Pcs 1
Kg 1
mc 0,01**E27** 2R3.000.E27**LED** 2R3.000.L11Pcs 1
Kg 1
mc 0,01**E27** 3R3.000.E27**LED** 3R3.000.L11Pcs 1
Kg 1
mc 0,01




TEAM TRADING CO LLC.

BULKHEAD**E27** 2R3.602.E27**LED** 2R3.602.L11Pcs 1
Kg 1
mc 0,01**E27** 3R3.602.E27**LED** 3R3.602.L11Pcs 1
Kg 1
mc 0,01

TEAM TRADING CO LLC.




BULKHEAD**E27** 1V3.602.E27**LED** 1V3.602.L11Pcs 1
Kg 1
mc 0,01**E27** 2V3.602.E27**LED** 2V3.602.L11Pcs 1
Kg 1
mc 0,01**E27** 3V3.602.E27**LED** 3V3.602.L11Pcs 1
Kg 1
mc 0,01

TEAM TRADING CO LLC.

BULKHEAD**E27 1V3.000.E27****LED 1V3.000.L11**Pcs 1
Kg 1
mc 0,01**E27 2V3.000.E27****LED 2V3.000.L11**Pcs 1
Kg 1
mc 0,01**E27 3V3.000.E27****LED 3V3.000.L11**Pcs 1
Kg 1
mc 0,01

TEAM TRADING CO LLC.


BULKHEAD



TEAM TRADING CO LLC.



**ITALY DOMINO NEPTUNE METAL HALIDE
BLACK { WITH LAMP }**
150W,400W, 1000W



TEAM TRADING CO LLC.

HIGHBAY LIGHTS 

**ITALY DOMI POSEDION Highbay Light 400W
WITH GLASS AND WITOUT CLASS**



TEAM TRADING CO LLC.

DOOR BELL

TEAM TRADING CO LLC.

EXTENTION CABLE 



TEAM TRADING CO LLC.

EXTENTION CABLE 



TEAM TRADING CO LLC.

EXTENTION CABLE 



TEAM TRADING CO LLC.

CABLE

TEAM TRADING CO LLC.

CENSERS

TEAM TRADING CO LLC.

BALLAST & TRANSFORMER **TT**




TEAM TRADING CO LLC.

HEATERS

TEAM TRADING CO LLC.

TRUNKINGS



TEAM TRADING CO LLC.

TRUNKINGS





TEAM TRADING CO LLC.

TRUNKINGS



TEAM TRADING CO LLC.

TRUNKINGS



TEAM TRADING CO LLC.

BOX

TEAM TRADING CO LLC.

CONDUIT & PIPE

tradingtopaz



atongroup.en.alibaba.com

TEAM TRADING CO LLC.

CONDUIT & PIPE 

TEAM TRADING CO LLC.

CONDUIT & PIPE 




TEAM TRADING CO LLC.


AIR CURTAIN**AIR CURTAIN**■ **PRODUCT**

FM08, FM10 and FM 12-series

■ **DESCRIPTION**



TEAM TRADING CO LLC.





AIR CURTAIN



AIR CURTAIN

■ **SPECIFICATIONS**

Model	Size(Length) mm	Volt/Hz	Speed Regulation	Input Power W	Current A	Speed R.P.M	Air Velocity m/s	Air Volume (m ³ /h)	Sound Level dB(A)
FM0809	900	220/50	HI	80	0.32	1280	9	660	42
FM0809RC			LO	60	0.27	1120	7	540	39
FM0812	1200	220/50	HI	85	0.34	1280	9	870	43
FM0812RC			LO	65	0.28	1120	7	720	41
FM1009	900	220/50	HI	90	0.37	1380	10	770	46
FM1009RC			LO	70	0.28	1250	8.5	650	42
FM1012	1200	220/50	HI	110	0.45	1380	10	1020	46
FM1012RC			LO	90	0.36	1250	8.5	860	42
FM1209	900	220/50	HI	242	1.065	2150	18	1400	55
FM1209RC			LO	211	0.99	1850	15	1230	50
FM1210	1000	220/50	HI	242	1.065	2150	18	1400	55
FM1210RC			LO	211	0.99	1850	15	1230	50
FM1212	1200	220/50	HI	300	1.33	2150	18	1850	56
FM1212RC			LO	274	1.27	1850	15	1600	51
FM1215	1500	220/50	HI	392	1.73	2150	18	2350	56
FM1215RC			LO	348	1.63	1850	15	2050	51
FM1209A	900	220/50	HI	242	1.065	2150	18	1400	55
FM1209ARC			ME	211	0.99	1850	15	1250	50
			LO	195	0.95	1650	11	1080	47
FM1210A	1000	220/50	HI	242	1.065	2150	18	1400	55
FM1210ARC			ME	211	0.99	1850	15	1250	50
			LO	195	0.95	1650	11	1080	47
FM1212A	1200	220/50	HI	300	1.33	2150	18	1850	56
FM1212ARC			ME	274	1.27	1850	15	1640	51
			LO	261	1.24	1650	11	1430	48
FM1215A	1500	220/50	HI	392	1.73	2150	18	2350	56
FM1215ARC			ME	348	1.63	1850	15	2080	51
			LO	326	1.58	1650	11	1820	48





Model	A	B	C	D	E	F	G
FM0809 / FM0809RC	900	51.5	400	113	250	222	212
FM1009 / FM1009RC							
FM1209 / FM1209RC							
FM1209A / FM1209ARC							
FM1210 / FM1210RC	1000	101.5	400	113	250	222	212
FM1210A / FM1210ARC							
FM0812 / FM0812RC	1200	201.5	400	113	250	222	212
FM1012 / FM1012RC							
FM1212 / FM1212RC							
FM1212A / FM1212ARC							
FM1215 / FM1215RC	1500	351.5	400	113	250	222	212
FM1215A / FM1215ARC							

